GOOSIC First second transmission lines terminals servers

Sograph Advanced Search

Search Preferences

Web

Results 1 - 10 of about 2,230,000 for <u>first second transmission lines terminals servers</u>. (0.31 seconds)

## 1. Digi Terminal Servers

Sponsored Link

Sign in

www.digi.com Cost effective serial servers with 4 or more RS232/422/485 ports

1. Data processing system with data transmission failure recovery ...

and **second** POS **terminals** 3 in the present embodiment. Each of **first** POS **terminals** 2 is set to access **first** file **server** 6 via **transmission line** 4 ... www.patentstorm.us/patents/5343477/description.html - Similar pages

2. Redundant ethernet transmission line system - US Patent 7161900

Thus **terminal** 6 can access dick unit 4 through **server** system 2 functioning .... As a **second** aspect of the **transmission line** switchover method for a client ... www.patentstorm.us/patents/7161900/description.html - <u>Similar pages</u>

More results from www.patentstorm.us ×

3. Redundant ethernet transmission line system - Patent 7161900

The system includes Ethernet **transmission lines** having redundant configuration, **first** and **second transmission** equipment being connected through the Ethernet ... www.freepatentsonline.com/7161900.html - <u>Similar pages</u>
by T Tanada - 2007 - <u>Related articles</u> - <u>All 4 versions</u>

4. Data processing system with data transmission failure recovery ...

Each POS terminal is connected to two transmission lines. A first file server is connected to one of the transmission lines. A second file server having ... www.freepatentsonline.com/5343477.html - Similar pages

by SC Eimore - 1994 - Cited by 28 - Related articles

More results from www.freepatentsonline.com >=

Wave transmission lines and networks inventions -

The microstructures find use, for example, in coaxial **transmission lines** for ... The waveguide includes **first**, **second** and third channels with the received ... www.freshpatents.com/Wave-transmission-lines-and-networks-dtnewntc333.php - 36k - Cached - Similar pages

6. EP475630 Hewlett european software patent - Software ...

If for example the load 105 placed on the first end (A) of the line transmission via

terminals 143-146 does not provide a ground on the ground plane ... gauss.ffii.org/PalentView/EP475630 - 43k - Cached - Similar pages

## 7. (WO/2005/009061) METHOD FOR PROVIDING GLOBAL SHORT MESSAGE SERVICE

However, since cooperation to secure **transmission lines** among countries and .... The B country **first** and **second** mobile telecommunication **servers** 160 and 161 ... www.wipo.int/pctdb/en/wo.jsp?IA=WO2005009061&DISPLAY=DESC - 42k - Cached - Similar pages

## 8. RS232 terminal, serial port terminal, udp terminal, tcp/ip client ...


You can test it if you run 2x Hercules SETUP as the TCP client in **first** window and TCP **server** in **second** window. Client authorization ... www.hw-group.com/products/hercules/index\_en.html - 57k - <u>Cached - Similar pages</u>

## 9. RFC 596 (rfc596) - Second thoughts on Telnet Go-Ahead

The **server** Telnet passes the contents of the **first** message to the appropriate process, which reads the partial text **line** and immediately blocks for further ... www.faqs.org/rfcs/rfc596.html - 16k - <u>Cached</u> - <u>Similar pages</u>

## 10. Universal transmission line protection intelligent electronic ...

two and three **terminal lines**, mutually coupled **lines**, **transmission** ..... The **first** timer is. used to route a trip to a **second** trip circuit of the same ... ieeexplore.ieee.org/iel5/7665/20942/00971323.pdf?arnumber=971323 - <u>Similar pages</u> by AP Apostolov - 2001 - Cited by 2 - Related articles



first second transmission lines terminals servers

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

Google >
 Google |
 Google |

first second transmission lines terminals servers

Search Preferences

Web Books

Results 11 - 20 of about 2,230,000 for first second transmission lines terminals servers. (0.20 seconds)

## 1. Microsoft Windows NT Server 4.0, Terminal Server Edition: An ...

First, the client consumes a Windows NT Server Client access license. Second, a Windows NT desktop license is verified on the machine that is connecting and ... msdn.microsoft.com/en-us/library/ms811522.aspx - 44k - <u>Cached - Similar pages</u>

## 2. [PDF] Comments to the U.S.-Canada Power System Outage Task Force ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
reliability characteristics **first**, of the EMS at FE, **second** of any other .... the detailed, **transmission line** by **transmission line** chronology and causal ...
www.gridstat.net/publications/GridStat-EECS-GS-004.pdf - <u>Similar pages</u>
by C Hauser - <u>Cited by 3 - Related articles - All 2 versions</u>

## 3. Terminal Server and Citrix MetaFrame Network Performance ...

This is the **second** part of my comprehensive guide to troubleshooting network performance issues in **Terminal Server** and Citrix MetaFrame environments. ... www.brianmadden.com/.../**Terminal-Server**-and-Citrix-MetaFrame-Network-Performance-Troubleshooting-Part-2-of-2 - 116k · <u>Cached</u> - <u>Similar pages</u>
4.

## The Telecommunications Illustrated Dictionary, Second Edition - Google Books Result

by Julie K Petersen, Julie Petersen K Petersen - 2002 - Computers - 1088 pages
A digital connecting device, usually for linking a **transmission line** and a router. Some units combine a digital modem, router, and **terminal server**, ...

books.google.com/books?isbn=084931173X...

## 5. Ftp-WG: Re: MLST draft - NUL CR LF again: msg#00012

When a **Server** Telnet receives the Telnet end-of-**line** sequence CR LF as input from a remote **terminal**, the effect MUST be the same as if the user had pressed ... osdir.com/ml/ietf.ftpext/2002-04/msg00012.html - 21k - Cached - Similar pages

## 6. wireless lan, wan, kvm glossary, definition, information, uk

ADSL - A telephone line with uneven transmission rates; half the transmission .....

Terminal Server - A communications processor that connects one or more ...

www.ait-pg.co.uk/glossary-of-terms.html - 38k - <u>Cached - Similar pages</u>

### 7. EP176646 Ibm european software patent - Line interface. - Gauss

This invention relates to a **line** interface circuit for a **transmission** system .... amplifier having a **first** and **second** input and **first** and **second** outputs; ...

 $http://www.google.com/search?hl=en\&rls=GGLD,GGLD:200...d+transmission+lines+terminals+servers\&start=10\&sa=N\ (1\ of\ 2)8/26/2008\ 12:46:03\ PM$ 

Sign in

gauss.ffii.org/PatentView/EP176646 - 33k - Cached - Similar pages

#### AK-Systems Thin Client Review


A terminal is connected to a server via a local Ethernet through a modem or serial transmission lines. Such server contains a multitask and multiuser OS, ... www.digit-life.com/articles2/ak-winterm-gp/index.html - 62k - Cached - Similar pages

### 9. Definitions Verizon Online DSL FAQ - dslreports.com

bps - Bits Per **Second** - A measurement of **transmission** speed .... **terminal server** and router and sometimes one or more hosts, but no network information ... www.dslreports.com/faq/1313 - <u>Similar pages</u>

## 10. LinuxPlanet - Tutorials - New HOWTO: Modem-HOWTO - 20-25 ...

If a **terminal** (or PC emulating one) is connected directly to a modem, the modem at the other end of the **line** could be connected to a **terminal server**. ... linuxplanet.com/linuxplanet/tutorials/3206/21/ - 63k - Cached - Similar pages



first second transmission lines terminals servers

Search

Search within results | Language Tools | Search Tips | Try Google Experimental

a Google » 'Google'

first second transmission lines terminals servers received counter

Search Preterences

Sign in

Web

Results 1 - 10 of about 119,000 for first second transmission lines terminals servers received counter. (0.46 seconds)

1. Data processing system with data transmission failure recovery ...

second terminals connected to the first and second transmission lines. ..... server 7 updates its own PLU counter according to the received update ... www.patentstorm.us/patents/5343477/description.html - Similar pages

2. System for displaying two independent images received from network ...

on the communication **line** means for causing the **terminal** to **receive** the **first** image using the **first** TCP/IP link means for establishing a **second** TCP/IP link ... www.patentstorm.us/patents/6639608/claims.html - <u>Similar pages</u>

<u>More results from www.patentstorm.us</u> »

3. Data processing system with data transmission failure recovery ...

Upon receiving price data via **transmission line** 5, **first** POS **terminal** 2 transmits a command indicating update of the PLU **counter** to **second** file **server** 7 via ... www.freepatentsonline.com/5343477.html - <u>Similar pages</u> by SC Elmore - 1994 - <u>Cited by 28 - Related articles</u>

4. Terminal server architecture - Patent 5151895

A terminal server architecture includes a central processing unit (CPU), ... (2) the LAN transmission and receive engine second; (3) the serial line FIFOs ... www.freepatentsonline.com/5151895.html - Similar pages
by G Vacon - 1992 - Cited by 5 - Belated articles - All 3 versions
More results from www.freepatentsonline.com.\*

5. EP270896 Sun european software patent - Graphics terminal for ...

A true value in the **first** bit indicates that the **received** message is an interrupt .... said **second transmission** channel comprises a fiber optic link. ... gauss.ffii.org/PatentView/EP270896 · 56k · <u>Cached</u> - <u>Similar pages</u>

6. Computer Hardware Software Architecture Patent | SLW Minnesota

The current flows through a **first terminal** which is coupled to an ... The two **transmission lines** are terminated at both ends by selected impedances. ... www.slwip.com/CM/RepresentativePatents/RepresentativePatents-BradieyAForrest. asp - 41k - <u>Gached - Similar pages</u>

7. Penki Kontinentai

POS **terminals** connect to a bank via a telephone **line** and transfer transaction data. ... Unfortunately, **first** you have to write down the **counter** meterage. ... www.5ci.lt/Default.asp?DL=E&TopicID=156&EditionID=12 - 48k - Cached - Similar pages

## 8. (WO/2003/040897) PROCESS, TERMINAL AND SERVER FOR CONTROLLING ...

Generally, such payment is made by a coded **transmission** from **terminal** to ... to the **second** group is surrounded exclusively by notes of the **first** group, ... www.wipo.int/pctdb/en/wo.jsp?IA=WO2003040897&DISPLAY=DESC - 30k - Cached - Similar pages

### 9. OCRed document

ized by a **terminal transmission line**. In one approach, UPs establish TCP/IP .... so the **server** nodes must start up **first** in order to **receive** the connec-... ieeexplore.ieee.org/iei2/645/6841/00276587.pdi?arnumber=276587 - <u>Similar pages</u> by M Koizumi - 1992 - <u>Cited by 2</u> - <u>Fielated articles</u>

### 10. MAX Diag Command Reference

The system displays the **terminal-server** command-**line** prompt (by default, .... it sends a new frame out and increments the **receive counter** for that frame. ... www.chebucto.ns.ca/Chebucto/Technical/Manuals/Max/max6000/refgde/diagcmd.htm - 34k - <u>Cached</u> - <u>Similar pages</u>



first second transmission lines terminals servers received counter

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental



first second transmission lines terminals servers received counter repetition flag

Search Preferences

Sign in

Web

Results 1 - 10 of about 5,130 for first second transmission lines terminals servers received counter repetition flag. (0.37 seconds)

Did you mean: first second transmission lines terminals servers received counter rotation flag

- 1. EP932161 St european software patent Method for controlled ...
- e) if said **first** comparison signal (OD) has said **second** comparison value, updating (61) a **repetition counter** (C); applying (62) a soft-programming pulse to ... gauss.ffii.org/PatentView/EP932161 43k <u>Cached</u> <u>Similar pages</u>
  - 2. EP783741 Siemens european software patent Data transfer system ...

After this, a new **counter** status is determined in the **terminal** from its old .... e) altering the state of the **flag** memory so that the **first** or **second** value ... gauss.ffii.org/PatentView/EP783741 - 63k - <u>Cached</u> - <u>Similar pages</u>

More results from gauss.ffii.org.\*

#### 3. DATA REPRODUCING DEVICE, DATA REPRODUCING METHOD, AND INFORMATION ...

Incidentally, in the case of J = E, data cache is not necessary so that data is continuously **received** from the **server**. Herein, if the **transmission line** ... www.freepatentson**line**.com/EP1172796.html - Similar pages by Y Majima - 2002 - Cited by 1 - Related articles - All 8 versions

4. Transmission apparatus, transmission control program, and ...

May 20, 2008 ... Conventionally, in a best-effort transmission line environment such .... This transmitted packet data is **received** by a **terminal** desiring to ... www.freepatentsonline.com/7376880.html - <u>Similar pages</u> by A Ichiki - 2008 - <u>Ali 3 versions</u>
More results from www.freepatentsonline.com »

#### 5. (WO/2003/077485) MEDIA TRANSMITTING METHOD, MEDIA RECEIVING METHOD ...

1A, servers 102 are media transmitters of the invention while terminal units ..... Incidentally, the transmission line in the present invention may be wired ... www.wipo.int/pctdb/en/wo.jsp?IA=JP2003002839&DISPLAY=DESC - 97k - Gached - Similar pages

6. ATM switch congestion control method of connection setup requests ...

3 is a schematic diagram of the **receive counter** (initial state); ..... to **server terminals** such as file **servers** or printer **servers**, and the ports ...

www.patentstorm.us/patents/6212164/description.html - Similar pages

7. Network interface device, method and article of manufacture for ...

In the case of an analog NID the **received** signal is **first** demodulated as .... (not shown) to cause the **transmission** of data or CRC, the HDLC **flag** character ... www.patentstorm.us/patents/6178185/description.html - Similar pages

More results from www.patentstorm.us »

### 8. Channel Link Tester D.Calvet, CEA Saclay Created 17 June 2003 Last ...

Each bit **line** is associated with an 8-bit saturating error **counter**. A 48-bit **counter** counts the number of 36-bit words **received**. Assuming that the tester is ... www.pa.msu.edu/hep/D0/ftp/run2b/l1cal/hardware/channel\_link\_tester/ channel\_link\_tester.txt - 51k - <u>Cached - Similar pages</u>

## 9. [PDF] FED-STD-1037C s: Abbreviation for second. satellite emergency ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> and **receive** circuits have the same data signaling rate. symmetrical pair: A balanced **transmission line**, in a. multipair cable, having equal conductor ... www.tra.gov.eg/giossary/S.pdf - <u>Similar pages</u>

#### BABEL: A Glossary of Computer Related Abbreviations and Acronyms

B~K Backup (file name extension) BKSP Backspace BL Backlit + Bit Line BLAS ...... LPT Line Printer Terminal LPT1 First Parallel Printer Port LPT2 Second ... www.geocities.com/ikind\_babei/babei

Did you mean to search for: first second transmission lines terminals servers received counter rotation flag



first second transmission lines terminals servers received counter repetition flag

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental



first second transmission lines terminals servers received counter repetition flag

Search Advanced Search Preferences

Sian in

Web Results 1 - 10 of about 4,060 for first second transmission lines terminals servers received counter repetition flag status table. (0.64 seconds)

Did you mean: first second transmission lines terminals servers received counter rotation flag status table

1. DATA REPRODUCING DEVICE, DATA REPRODUCING METHOD, AND INFORMATION ...

Also, in the case of reproducing the **second** data following the **first** data, ...... Herein, if the **transmission line** capacity is suddenly decreased due to a ... www.freepatentsonfine.com/EP1172796.html - <u>Similar pages</u>
by Y Majima - 2002 - <u>Cited by 1 - Related articles - All 8 versions</u>

- 2. EP932161 St european software patent Method for controlled ...
- e) if said **first** comparison signal (OD) has said **second** comparison value, updating (61) a **repetition counter** (C); applying (62) a soft-programming pulse to ... gauss.ffii.org/PatentView/EP932161 43k <u>Cached</u> <u>Similar pages</u>
  - 3. EP783741 Siemens european software patent Data transfer system ...
- e) altering the state of the **flag** memory so that the **first** or **second** value area with the new **counter status** becomes capable of being enabled into a ... gauss.ffii.org/PatentView/EP783741 63k <u>Cached</u> <u>Similar pages</u>

  More results from gauss.ffii.org >
- 4. Network interface device, method and article of manufacture for ...

In the case of an analog NID the **received** signal is **first** demodulated as .... (not shown) to cause the **transmission** of data or CRC, the HDLC **flag** character ... www.patentstorm.us/paients/6178185/description.html - Similar pages

5. Glossary: Words that commonly appear in Campbell Scientific documents

G: Datalogger **terminals** directly connected to the Earth Ground or Ground Lug ..... PE (Pin Enable): The **line** on which print devices or peripherals **receive** ... www.campbellsci.com/glossary - 73k - Cached - Similar pages

## 6. Channel Link Tester D.Calvet, CEA Saclay Created 17 June 2003 Last ...

Each bit **line** is associated with an 8-bit saturating error **counter**. A 48-bit **counter** counts the number of 36-bit words **received**. Assuming that the tester is ... www.pa.msu.edu/hep/D0/ftp/run2b/l1cal/hardware/channel\_link\_tester/ channel\_link\_tester.txt - 51k - <u>Cached</u> - <u>Similar pages</u>

## 7. BABEL: A Glossary of Computer Related Abbreviations and Acronyms

B~K Backup (file name extension) BKSP Backspace BL Backlit + Bit **Line** BLAS ...... LPT **Line** Printer **Terminal** LPT1 **First** Parallel Printer Port LPT2 **Second** ... www.geocities.com/ikind babel/babel.html - 238k - Cached - Similar pages

## 8. Forkortelser

AU Audio (file name extension) AUDIT Automated Data Input **Terminal** AUI ...... Schottky LPT **Line** Printer LPT1 **First** Parallel Printer Port LPT2 **Second** ... home.c2i.net/thenssru/forkortelser.htm - 183k - Cached - Similar pages

# 9. BABEL: A Glossary of Computer Related Abbreviations and Acronyms


TML Template (file name extension) TMP Temporary TN Twisted Nematic TNC **Terminal** Node Controller TNO The Netherlands Organization ToC **Table** Of Contents TOD ...

gd.tuwien.ac.at/study/babel-99b.htm - 198k - Cached - Similar pages

## 10. Systems Outline

As with the C451 **Table**, this outline can't replace the reading, .... Execution, Write 3 Parts of Scoreboard Instruction **Status- flag** for each of four steps ... www.cogsci.indiana.edu/farg/rehling/help/sysOutline.html - 71k - Cached - Similar pages

Did you mean to search for: first second transmission lines terminals servers received counter *rotation* flag status table



first second transmission lines terminals servers received counter repetition flag

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental